

## HLD-3642 MINIDRYER/STENTER WITH STEAMER



MODEL NO.



---

## HLD-3642

### Application:

Suitable for drying, fixing, and curing fabric samples after dyeing or impregnating with low /high humidity contents up to 90%.

### Related Standards:

STANDARDS

### Features:

- Brushed stainless steel construction, good heat-insulated performance,
- Particular cabinet-Shaped, Small size, free standing
- Cyclic hot air system, automatic temperature control,
- Pin-frame automatically transported into the drying chamber with adjustable load times from 1-999s, audible alarm when loading complete,
- Four-direction adjustable pin-frame, to mount the samples with various tension as required.
- High-temperature resistance motor, can bear long life operation.
- HT-Steam generator.

### Key Specification:

- |                            |                                              |
|----------------------------|----------------------------------------------|
| ● Temperature range        | 20-250 <sup>0</sup> C                        |
| ● Testing time range       | 1-999s                                       |
| ● HT-steamer               | Temp 20-250 <sup>0</sup> C, Humidity:12-100% |
| ● Pin-frame size           | 360*420mm                                    |
| ● Effective pin-frame size | 260*360mm                                    |
| ● Feed and delivery        | automatic                                    |
| ● Power supply             | Ac380V, 50Hz, 7.3KW                          |
| ● Instrument size          | 780×800×1430mm                               |
| ● Instrument weight        | 160kg                                        |



**FANYUAN INSTRUMENT (HF) CO., LTD.**  
**DOWELL SCIENCE AND TECHNOLOGY (HK) CO., LTD.**  
ADD: Tianyuan Road 9#, High-tech Zone, Hefei City, China Postal Code: 230088  
TEL: +86-551-65232508  
FAX: +86-551-65232507  
Email: [sales@hkdowell.com](mailto:sales@hkdowell.com)  
Website: <http://www.fyichina.com.cn>

---

Standard configuration:

| No. | Item                                             | Quantity |
|-----|--------------------------------------------------|----------|
| 1   | Main machine(including following key components) | 1 set    |
| 2   | Pin-frame                                        | 1 set    |

Optional Configuration:

| No. | Item | Quantity |
|-----|------|----------|
|     |      |          |